

Products per driver matrix

The table below shows the minimum and maximum of each product that fits onto each driver.

To place an order use the driver partcodes below.

| | PSDIM180 Push to make | PSMD303P Push to make | PSMD301A24 Push to make | PSDAL30M Push to make | PSDIM30 Push to make | PLD UNI-DRIVE 350mA Push to make | PLDCC350/10-28 Push to make * Requires the PDCINT1-10V interface to make it 1-10V dimmable for 1-10V | PLR290 1-5 | PLU/380 1-9 | PSIP309W | PSIP3501BW | PLU/PP/380 1-9 | PLU/PP/380 1-9 | PSMD700410 |
|--------------------------------------|--------------------------|--------------------------|----------------------------|--------------------------|-------------------------|-------------------------------------|--|------------|-------------|----------|------------|----------------|----------------|------------|
| Driver information | | | | | | | | | | | | | | |
| Constant Current or Constant Voltage | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC |
| Output classification | 180mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 700mA |
| IP rating | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP65 | IP65 | IP20 | IP20 | IP20 |
| Dimmable | Mains | Mains | Mains | DALI or 1-10V | 1-10V | 1-10V | No | No | No | No | No | No | No | Mains |
| DIN rail mount | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| Plug & Play | Yes | No | No | No | No | No | No | No | No | No | No | Yes | Yes | No |
| Residential lighting | | | | | | | | | | | | | | |
| Fibre LED Light Page 122 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| DL120 Page 124 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| DL130 Page 125 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| MC010 S Page 130 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| MC020 S Page 131 | | 2-4 | 7-12 | 1-9 | 1-9 | 1-5 | 1-3* | 1-2 | 1-4 | 1-4 | 5-8 | 1-4 | 1-4 | |
| MF02 IP Page 134 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| MS02 IP Page 135 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| WL050 Page 137 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| ML01 Page 139 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| ML02 Page 140 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| ML03 Page 141 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| LED LYTE SURFACE Page 142 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| LED LYTE IP Page 143 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| LED LYTE IP T Page 144 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| LED LYTE Page 145 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | |
| Modules that require housing | | | | | | | | | | | | | | |
| DM01 Page 126 | | | | | | | | | | | | | | 2-3 |
| DM02 Page 127 | | 1 | | | | | | | | | | | | |
| Commercial lighting | | | | | | | | | | | | | | |
| RDSL Page 332 | | | | | | | | | | | | | | |
| SQSL Page 333 | | | | | | | | | | | | | | |
| RDSM Page 334 | | | | | | | | | | | | | | 1 |
| SQSM Page 335 | | | | | | | | | | | | | | 1 |
| RDS5 Page 336 | | | 1 | 1-2 | 1-2 | 1 | | | | | | 1 | | |
| SQ55 Page 337 | | | 1 | 1-2 | 1-2 | 1 | | | | | | 1 | | |

| | PSMD70024 | PLDM70011 | PSDAL700M Push to make | PSDIM700 Push to make | PLD UNI-DRIVE 700mA Push to make | PLDCC700 12-24 Push to make * Requires the PDCINT1-10V interface to make it 1-10V dimmable for 1-10V | PLU/700 3-9 | PSIP7001BW | PSIP7002W | PSDIM700 Push to make | PSDAL90M Push to make | PSMD3024 | PS1924 | PS3024B | PS5024 | PS7024 | PS10024 | PSMDIP10024 | PSDIP4024 | PSDIP10024 | PSDAL20024 | PSIP15024 | PSIP25024 | |
|--------------------------------------|-----------|-----------|---------------------------|--------------------------|-------------------------------------|--|-------------|------------|-----------|--------------------------|--------------------------|----------|--------|---------|--------|--------|---------|-------------|-----------|------------|------------|-----------|-----------|----|
| Driver information | | | | | | | | | | | | | | | | | | | | | | | | |
| Constant Current or Constant Voltage | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CV | CV | CV | CV | CV | CV | CV | CV | CV | CV | CV | CV | CV |
| Output classification | 700mA | 700mA | 700mA | 700mA | 700mA | 700mA | 700mA | 700mA | 700mA | 900mA | 900mA | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | |
| IP rating | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP65 | IP65 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP66 | IP66 | IP66 | IP66 | IP66 | IP67 | IP67 | IP67 | |
| Dimmable | Mains | Mains | DALI or 1-10V | 1-10V | 1-10V | No | No | No | No | 1-10V | DALI | Mains | 1-10V* | 1-10V* | 1-10V* | No | 1-10V* | Mains | 1-10V | 1-10V | DALI | 1-10V* | 1-10V* | |
| DIN rail mount | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | |
| Plug & Play | No | Yes | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | |
| Residential lighting | | | | | | | | | | | | | | | | | | | | | | | | |
| Fibre LED Light Page 122 | | | | | | | | | | | | | | | | | | | | | | | | |
| DL120 Page 124 | | | | | | | | | | | | | | | | | | | | | | | | |
| DL130 Page 125 | | | | | | | | | | | | | | | | | | | | | | | | |
| MC010 S Page 130 | | | | | | | | | | | | | | | | | | | | | | | | |
| MC020 S Page 131 | | | | | | | | | | | | | | | | | | | | | | | | |
| MF02 IP Page 134 | | | | | | | | | | | | | | | | | | | | | | | | |
| MS02 IP Page 135 | | | | | | | | | | | | | | | | | | | | | | | | |
| WL050 Page 137 | | | | | | | | | | | | | | | | | | | | | | | | |
| ML01 Page 139 | | | | | | | | | | | | | | | | | | | | | | | | |
| ML02 Page 140 | | | | | | | | | | | | | | | | | | | | | | | | |
| ML03 Page 141 | | | | | | | | | | | | | | | | | | | | | | | | |
| LED LYTE SURFACE Page 142 | | | | | | | | | | | | | | | | | | | | | | | | |
| LED LYTE IP Page 143 | | | | | | | | | | | | | | | | | | | | | | | | |
| LED LYTE IP T Page 144 | | | | | | | | | | | | | | | | | | | | | | | | |
| LED LYTE Page 145 | | | | | | | | | | | | | | | | | | | | | | | | |
| Modules that require housing | | | | | | | | | | | | | | | | | | | | | | | | |
| DM01 Page 126 | 1 | 1 | 1-6 | 1-6 | 1-3 | 1* | 1-2 | 1-2 | 3-4 | | | | | | | | | | | | | | | |
| DM02 Page 127 | | | | | | | | | | | | | | | | | | | | | | | | |
| Commercial lighting | | | | | | | | | | | | | | | | | | | | | | | | |
| RDSL Page 332 | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | |
| SQSL Page 333 | | | | | | | | | | | 1 | 1 | | | | | | | | | | | | |
| RDSM Page 334 | | | | | | | | | | | | | | | | | | | | | | | | |
| SQSM Page 335 | | | | | | | | | | | | | | | | | | | | | | | | |
| RDS5 Page 336 | | | | | | | | | | | | | | | | | | | | | | | | |
| SQ55 Page 337 | | | | | | | | | | | | | | | | | | | | | | | | |

* Requires a PDCINT1-10V interface to make it 1 - 10V dimmable

Products per driver matrix

The table below shows the minimum and maximum of each product that fits onto each driver.

To place an order use the driver partcodes below.

| | PSDIM180 | PSMD3009 | PSMD301424 | PSDAL30M Push to make | PSDIM300 Push to make | PLD UNL-DRIVE 350mA Push to make | PLDCC350/10-28 Push to make for DALI or 1-10V Needs the maximum for 28 input | PLR/350 1-5 | PLU/350 1-9 | PSIP300W | PSIP3501BW | PLU/PP/350 1-9 | PLU/PP/350 1-9 | PSMD700x10 |
|---------------------------------------|----------|----------|------------|--------------------------|--------------------------|-------------------------------------|--|-------------|-------------|----------|------------|----------------|----------------|------------|
| Driver information | | | | | | | | | | | | | | |
| Constant Current or Constant Voltage | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC |
| Output classification | 180mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 350mA | 700mA |
| IP rating | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP65 | IP65 | IP20 | IP20 | IP20 |
| Dimmable | Mains | Mains | Mains | DALI or 1-10V | 1-10V | 1-10V | No | No | No | No | No | No | No | Mains |
| DIN rail mount | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| Plug & Play | Yes | No | No | No | No | No | No | No | No | No | No | Yes | Yes | No |
| Landscape lighting | | | | | | | | | | | | | | |
| GL090 Page 189 | | | | | | | | | | | | | | 2-3 |
| GL040 Page 190 | | 2-4 | 6-11 | 1-12 | 1-12 | 1-8 | 1-3* | 1-3 | 1-4 | 1-4 | 5-8 | 1-4 | 1-4 | 3-5 |
| GL040 Ultra low glare Page 191 | | 2-4 | 6-11 | 1-12 | 1-12 | 1-8 | 1-3* | 1-3 | 1-4 | 1-4 | 5-8 | 1-4 | 1-4 | 3-5 |
| GL041 Page 192 | | 1-3 | 5-8 | 1-6 | 1-6 | 1-3 | 1-2* | 1 | 1-3 | 1-2 | 3-5 | 1-3 | 1-3 | 2-3 |
| GL019 Page 194 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL019 Ultra low glare Page 195 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL019LG Page 196 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL019 Frosted Page 197 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL019 SQ Page 199 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL019 S T Page 200 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL019 S TK Page 201 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL016 Page 202 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL016 FAB Page 203 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL016 SQ Page 204 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL016 Frosted Page 205 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL063 Page 206 | | 1-3 | 5-8 | 1-6 | 1-6 | 1-3 | 1-2* | 1 | 1-3 | 1-2 | 3-5 | 1-3 | 1-3 | 1-3 |
| GL064 Page 207 | | 1-2 | 4-6 | 1-4 | 1-4 | 1-2 | 1* | 1 | 1-2 | 1-2 | 3-4 | 1-2 | 1-2 | 1-2 |
| GL100 Page 208-211 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL050 Page 214 | | 1-3 | 5-8 | 1-6 | 1-6 | 1-3 | 1-2* | 1 | 1-3 | 1-2 | 3-5 | 1-3 | 1-3 | 1-3 |
| GL051 Page 215 | | 1-3 | 5-8 | 1-6 | 1-6 | 1-3 | 1-2* | 1 | 1-3 | 1-2 | 3-5 | 1-3 | 1-3 | 1-3 |
| GL018 C Page 216 | | | | | | | | | | | | | | |
| GL018 C AB Page 217 | | | | | | | | | | | | | | |
| GL018 SQ Page 218 | | | | | | | | | | | | | | |
| GL018 T Page 219 | | | | | | | | | | | | | | |
| GL021 Page 228 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| GL022 Page 229 | | 3-9 | 13-24 | 1-18 | 1-18 | 1-10 | 1-6* | 1-5 | 1-9 | 1-8 | 9-17 | 1-9 | 1-9 | 6-10 |
| OC TOLED Page 243 | | 1-2 | 4-6 | 1-4 | 1-4 | 1-2 | 1* | 1 | 1-2 | 1-2 | 3-4 | 1-2 | 1-2 | 1-2 |
| UL030 Page 248 | | 2-4 | 6-11 | 1-12 | 1-12 | 1-8 | 1-3* | 1-3 | 1-4 | 1-4 | 5-8 | 1-4 | 1-4 | 3-5 |
| UL010 Page 249 | | | | | | | | | | | | | | 6-10 |
| LEDLINE 400 110 Page 252 | | | | | | | | | | | | | | 1 |
| LEDLINE 400 25X6 Page 255 | | | | | | | | | | | | | | 1 |
| LEDLINE 400 45 Page 258 | | | | | | | | | | | | | | 1 |

| | PSMD700x24 | PLDM70011 | PSDAL700M Push to make | PSDIM700 Push to make | PLD UNL-DRIVE 700mA Push to make | PLDCC700 12-24 Push to make for DALI or 1-10V Needs the maximum for 24 input | PLU/700 3-9 | PSIP7001BW | PSIP7003W | PSDIM900 Push to make | PSDAL90M Push to make | PSMD3024 | PS1924 | PS3024B | PS5024 | PS7024 | PS10024 | PSMDIP10024 | PSDIP4024 | PSDIP10024 | PSDAL20024 | PSIP15024 | PSIP25024 | |
|--------------------------------------|------------|-----------|---------------------------|--------------------------|-------------------------------------|--|-------------|------------|-----------|--------------------------|--------------------------|----------|--------|---------|--------|--------|---------|-------------|-----------|------------|------------|-----------|-----------|------|
| Driver information | | | | | | | | | | | | | | | | | | | | | | | | |
| Constant Current or Constant Voltage | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CC | CV | CV | CV | CV | CV | CV | CV | CV | CV | CV | CV | CV | CV |
| Output classification | 700mA | 700mA | 700mA | 700mA | 700mA | 700mA | 700mA | 700mA | 700mA | 900mA | 900mA | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V | 24V |
| IP rating | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP65 | IP65 | IP20 | IP20 | IP20 | IP20 | IP20 | IP20 | IP66 | IP66 | IP66 | IP66 | IP66 | IP66 | IP67 | IP67 | IP67 |
| Dimmable | Mains | Mains | DALI or 1-10V | 1-10V | 1-10V | No | No | No | No | 1-10V | DALI | Mains | 1-10V* | 1-10V* | 1-10V* | No | 1-10V* | Mains | 1-10V | 1-10V | DALI | 1-10V* | 1-10V* | |
| DIN rail mount | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| Plug & Play | No | Yes | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No | No |
| Landscape lighting | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | | 1-6 | 1-6 | 1-3 | 1-2* | 1-3 | 1-2 | 3-5 | | | | | | | | | | | | | | | | |
| 1-2 | | 1-11 | 1-11 | 1-7 | 1-3* | 1-4 | 1-3 | 4-7 | | | | | | | | | | | | | | | | |
| 1 | | 1-6 | 1-6 | 1-3 | 1-2* | 1-3 | 1-2 | 3-5 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| 1-2 | | 1-11 | 1-11 | 1-7 | 1-3* | 1-4 | 1-3 | 4-7 | | | | | | | | | | | | | | | | |
| 2-4 | | 1-18 | 1-18 | 1-10 | 1-6* | 3-9 | 1-8 | 9-17 | | | | | | | | | | | | | | | | |
| | | 1-2 | 1-2 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | |
| | | 1-2 | 1-2 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | |
| | | 1-2 | 1-2 | 1 | 1 | 1 | 1 | 1 | | | | | | | | | | | | | | | | |

* Requires a PDCINT1-10V interface to make it 1 - 10V dimmable

